

Antimicrobial Susceptibility Profiles

- Note: The susceptibility information presented below is a summary of data gathered at ISU VDL for the time period listed. The information may be useful to understand susceptibility trends or as an aid in making clinical decisions, but may not be accurate for specific disease situations.
- In vitro antimicrobial test results do not represent therapeutic recommendations from the VDL or personnel therein. Extra/Off label usage of an antimicrobial which is limited/prohibited for certain species may result in legal action by FDA-CVM.
- Data is reported as: % susceptible (# isolates tested) – not all bacteria isolated at ISU VDL have been tested for antimicrobial susceptibility.

Avian 2017-2019

Susceptibility profile of Avian pathogens received at ISU VDL in 2017-2019

Data reported as: % susceptible (# isolates tested)

Antibiotic	E coli	G ana	P mult	Salm B ¹	Salm D ¹	Salm sp ¹
Amoxicillin	68% (263)	100% (28)	100% (19)	70% (23)	100% (2)	71% (42)
Ceftiofur	92% (263)	100% (28)	100% (19)	96% (23)	100% (2)	93% (42)
Clindamycin	0% (263)	0% (28)	0% (19)	0% (23)	0% (2)	0% (42)
Enrofloxacin	94% (263)	93% (28)	100% (19)	100% (23)	100% (2)	93% (42)
Erythromycin	0% (263)	0% (28)	5% (19)	0% (23)	0% (2)	0% (42)
Florfenicol	31% (263)	100% (28)	100% (19)	43% (23)	0% (2)	24% (42)
Gentamicin	73% (263)	100% (28)	100% (19)	91% (23)	100% (2)	69% (42)
Neomycin	82% (263)	75% (28)	95% (19)	100% (23)	100% (2)	86% (42)
Novobiocin	1% (263)	4% (28)	84% (19)	0% (23)	0% (2)	0% (42)
Oxytetracycline*	45% (263)	14% (28)	95% (19)	74% (23)	50% (2)	43% (42)
Penicillin	0% (263)	0% (28)	58% (19)	0% (23)	0% (2)	0% (42)
Spectinomycin	26% (263)	39% (28)	11% (19)	9% (23)	0% (2)	24% (42)
Streptomycin	56% (263)	96% (28)	11% (19)	43% (23)	100% (2)	33% (42)
Sulfadimethoxine	58% (263)	43% (28)	74% (19)	26% (23)	50% (2)	21% (42)
Sulphathiazole	59% (263)	82% (28)	79% (19)	70% (23)	100% (2)	69% (42)
Tetracycline	45% (263)	7% (28)	89% (19)	74% (23)	50% (2)	43% (42)
Trimethoprim/Sulphamethoxazole	94% (263)	100% (28)	100% (19)	100% (23)	100% (2)	88% (42)
Tylosin (Tartrate/Base)	0% (263)	0% (28)	0% (19)	0% (23)	0% (2)	0% (42)

¹ See Salmonella serotype table for most common serotypes isolated within each group.

*Oxytetracycline can be used to represent Chloretetracycline.

Key:

A equ Actinobacillus equuli
A suis Actinobacillus suis
APP Actinobacillus pleuropneumoniae
B bron Bordetella bronchiseptica
B tre Bibersteinia trehalosi
(formerly Pasteurella trehalosi)
C per Clostridium perfringens
Clos Clostridium species
E coli Escherichia coli
E fael Enterococcus faecalis
E faem Enterococcus faecium
Ente Enterobacter species
Erys Erysipelothrix
H ecol Hemolytic E.coli
H som Histophilus somni
G ana Gallibacterium anatis
GPS Glaesserella parasuis
(formerly Haemophilus parasuis)
K pneu Klebsiella pneumoniae
M bov Moraxella bovis
M bovo Moraxella bovoculi

M haem Mannheimia haemolytica
P aer Pseudomonas aeruginosa
Past Pasteurella species
PMul A Pasteurella multocida group A
PMul D Pasteurella multocida group D
Pseu Pseudomonas species
R equ Rhodococcus equi
S aur Staphylococcus aureus
S can Streptococcus canis
S equus Streptococcus equisimilis
S hyi Staphylococcus hyicus
S pint Staphylococcus pseudintermedius
S suis Streptococcus suis
S zoo Streptococcus zooepidemicus
Salm B Salmonella species group B
Salm C1 Salmonella species group C1
Salm C2 Salmonella species group C2
Salm D Salmonella species group D
Salm sp Salmonella species

**2019 *Salmonella* Serotypes Isolated at
Iowa State University
Veterinary Diagnostic Laboratory**

2019 <i>Salmonella</i> serogroups/serotypes	Avian	Bovine	Porcine
Group B	10	36	890
<i>Salmonella</i> 4, [5], 12:i:-	4	16	457
<i>Salmonella</i> agona		4	53
<i>Salmonella</i> brandenburg		2	16
<i>Salmonella</i> derby		3	135
<i>Salmonella</i> heidelberg		2	44
<i>Salmonella</i> kiambu			1
<i>Salmonella</i> reading	2		
<i>Salmonella</i> saint-paul			4
<i>Salmonella</i> schwarzengrund		3	14
<i>Salmonella</i> typhimurium	4	6	166
Group C1	6	15	187
<i>Salmonella</i> 6,7:-:1,5			1
<i>Salmonella</i> braenderup		1	2
<i>Salmonella</i> choleraesuis_(kunzendorf)			60
<i>Salmonella</i> hartford		1	
<i>Salmonella</i> infantis	5	2	72
<i>Salmonella</i> livingstone			1
<i>Salmonella</i> mbandaka		1	10
<i>Salmonella</i> montevideo		8	2
<i>Salmonella</i> ohio			16
<i>Salmonella</i> oranienburg		1	1
<i>Salmonella</i> rissen		1	19
<i>Salmonella</i> tennessee	1		3
<i>Salmonella</i> thompson			
Group C2	22	9	29
<i>Salmonella</i> albany	1		
<i>Salmonella</i> altona		1	4
<i>Salmonella</i> bovis-morbificans			3
<i>Salmonella</i> kentucky	18		
<i>Salmonella</i> manhattan			3
<i>Salmonella</i> molade			2
<i>Salmonella</i> muenchen	3	2	13
<i>Salmonella</i> newport		6	4

2019 Salmonella			
serogroups/serotypes	Avian	Bovine	Porcine
Group D	24	74	14
<i>Salmonella</i> berta			3
<i>Salmonella</i> dublin		72	
<i>Salmonella</i> enteritidis	21		7
<i>Salmonella</i> javiana		1	
<i>Salmonella</i> ouakam	3		
<i>Salmonella</i> panama		1	4
Group E	13	19	102
<i>Salmonella</i> 3, 10:e,h:-			1
<i>Salmonella</i> anatum	3	3	35
<i>Salmonella</i> anatum_var._15+		2	
<i>Salmonella</i> cannstatt		1	2
<i>Salmonella</i> falkensee			1
<i>Salmonella</i> give		1	2
<i>Salmonella</i> krefeld			1
<i>Salmonella</i> liverpool			4
<i>Salmonella</i> london			17
<i>Salmonella</i> meleagridis		2	1
<i>Salmonella</i> muenster		7	2
<i>Salmonella</i> orion		1	1
<i>Salmonella</i> orion_var._15+,34+			1
<i>Salmonella</i> senftenberg	6		10
<i>Salmonella</i> uganda	4	2	23
<i>Salmonella</i> uganda_var._15+			1
Grand Total	140	270	1554