

## Antimicrobial Susceptibility Profiles

- Note: The susceptibility information presented below is a summary of data gathered at ISU VDL for the time period listed. The information may be useful to understand susceptibility trends or as an aid in making clinical decisions, but may not be accurate for specific disease situations.
- In vitro antimicrobial test results do not represent therapeutic recommendations from the VDL or personnel therein. Extra/Off label usage of an antimicrobial which is limited/prohibited for certain species may result in legal action by FDA-CVM.
- Data is reported as: % susceptible (# isolates tested) – not all bacteria isolated at ISU VDL have been tested for antimicrobial susceptibility.

### Bovine 2017-2019

### Susceptibility profile of Bovine pathogens received at ISU VDL in 2017-2019

Data reported as: % susceptible (# isolates tested)

Antibiotic	B tre	C per	E coli	H som	M bov	M bovo	M haem	P mult	Salm B <sup>1</sup>	Salm C2 <sup>1</sup>	Salm D <sup>1</sup>	Salm sp <sup>1</sup>
<b>Ampicillin</b>	53% (64)	89% (47)	21% (997)	98% (687)	76% (25)	87% (53)	80% (828)	99% (759)	44% (118)	44% (41)	17% (239)	94% (145)
<b>Ceftiofur</b>	92% (64)	72% (47)	50% (997)	100% (687)	88% (25)	100% (53)	100% (828)	100% (759)	64% (118)	49% (41)	17% (239)	97% (143)
<b>Chlortetracycline</b>	38% (24)	44% (18)	10% (540)	89% (337)	92% (12)	88% (26)	66% (463)	82% (399)	31% (68)	18% (28)	4% (135)	80% (92)
<b>Clindamycin</b>	3% (64)	40% (47)	0% (975)	35% (687)	4% (25)	8% (53)	0% (828)	0% (758)	0% (118)	0% (41)	0% (239)	0% (143)
<b>Danofloxacin</b>	39% (64)	17% (47)	44% (975)	85% (687)	52% (25)	62% (53)	71% (828)	90% (758)	67% (118)	93% (41)	79% (239)	87% (143)
<b>Enrofloxacin</b>	45% (64)	83% (47)	50% (975)	93% (687)	88% (25)	96% (53)	73% (828)	93% (758)	72% (118)	100% (41)	98% (239)	95% (145)
<b>Florfenicol</b>	53% (64)	89% (47)	7% (975)	94% (687)	84% (25)	87% (53)	84% (828)	95% (758)	32% (118)	39% (41)	3% (239)	44% (143)
<b>Gamithromycin<sup>^</sup></b>	NI	NI	NI	70% (350)	NI	NI	75% (365)	82% (359)	NI	NI	NI	NI
<b>Gentamicin</b>	81% (64)	2% (47)	73% (975)	31% (687)	100% (25)	100% (53)	78% (828)	86% (758)	92% (118)	100% (41)	99% (239)	99% (145)
<b>Neomycin</b>	48% (64)	0% (47)	39% (975)	39% (687)	96% (25)	92% (53)	69% (828)	46% (758)	61% (118)	100% (41)	53% (239)	94% (143)
<b>Oxytetracycline*<sup>^</sup></b>	17% (24)	28% (18)	9% (540)	42% (337)	92% (12)	85% (26)	56% (463)	63% (399)	31% (68)	18% (28)	4% (135)	79% (92)
<b>Penicillin</b>	5% (64)	87% (47)	0% (997)	83% (687)	40% (25)	49% (53)	33% (828)	71% (759)	1% (118)	0% (41)	0% (239)	0% (143)
<b>Spectinomycin</b>	16% (64)	6% (47)	22% (975)	62% (687)	72% (25)	45% (53)	64% (828)	65% (758)	25% (118)	24% (41)	29% (239)	29% (143)
<b>Sulfadimethoxine</b>	38% (64)	11% (47)	17% (997)	21% (687)	84% (25)	77% (53)	13% (828)	17% (759)	12% (118)	5% (41)	3% (239)	58% (143)
<b>Tetracycline<sup>^</sup></b>	8% (40)	0% (29)	12% (457)	36% (350)	77% (13)	63% (27)	0% (365)	65% (360)	54% (50)	38% (13)	3% (104)	83% (53)
<b>Tiamulin</b>	58% (64)	89% (47)	0% (975)	99% (687)	96% (25)	100% (53)	95% (828)	51% (758)	0% (118)	0% (41)	0% (239)	0% (143)
<b>Tildipirosin</b>	NI	NI	NI	82% (350)	NI	NI	78% (365)	83% (359)	NI	NI	NI	NI
<b>Tilmicosin</b>	47% (64)	79% (47)	0% (975)	78% (687)	92% (25)	83% (53)	64% (828)	71% (758)	0% (118)	0% (41)	0% (239)	0% (143)
<b>Trimethoprim/ Sulphamethoxazole</b>	23% (64)	6% (47)	41% (975)	46% (687)	92% (25)	79% (53)	97% (828)	47% (758)	60% (118)	100% (41)	89% (239)	98% (145)
<b>Tulathromycin</b>	NI	0% (47)	NI	76% (687)	NI	NI	72% (828)	86% (758)	NI	0% (41)	NI	NI
<b>Tylosin (Tartrate/Base)</b>	2% (64)	0% (47)	NI	57% (687)	NI	NI	0% (828)	0% (758)	NI	0% (41)	NI	NI

<sup>1</sup> See Salmonella serotype table for most common serotypes isolated within each group.

\*Oxytetracycline can be used to represent Chlortetracycline.

<sup>^</sup>In Aug of 2018 a new test was added including Gamithromycin, Tetracycline, and Tildipirosin; Oxytetracycline was removed.

**Key:**

A equ Actinobacillus equuli  
A suis Actinobacillus suis  
APP Actinobacillus pleuropneumoniae  
B bron Bordetella bronchiseptica  
B tre Bibersteinia trehalosi  
(formerly Pasteurella trehalosi)  
C per Clostridium perfringens  
Clos Clostridium species  
E coli Escherichia coli  
E fael Enterococcus faecalis  
E faem Enterococcus faecium  
Ente Enterobacter species  
Erys Erysipelothrix  
H ecol Hemolytic E.coli  
H som Histophilus somni  
G ana Gallibacterium anatis  
GPS Glaesserella parasuis  
(formerly Haemophilus parasuis)  
K pneu Klebsiella pneumoniae  
M bov Moraxella bovis  
M bovo Moraxella bovoculi

M haem Mannheimia haemolytica  
P aer Pseudomonas aeruginosa  
Past Pasteurella species  
PMul A Pasteurella multocida group A  
PMul D Pasteurella multocida group D  
Pseu Pseudomonas species  
R equ Rhodococcus equi  
S aur Staphylococcus aureus  
S can Streptococcus canis  
S equus Streptococcus equisimilis  
S hyi Staphylococcus hyicus  
S pint Staphylococcus pseudintermedius  
S suis Streptococcus suis  
S zoo Streptococcus zooepidemicus  
Salm B Salmonella species group B  
Salm C1 Salmonella species group C1  
Salm C2 Salmonella species group C2  
Salm D Salmonella species group D  
Salm sp Salmonella species

**2019 *Salmonella* Serotypes Isolated at  
Iowa State University  
Veterinary Diagnostic Laboratory**

<b>2019 <i>Salmonella</i> serogroups/serotypes</b>	<b>Avian</b>	<b>Bovine</b>	<b>Porcine</b>
<b>Group B</b>	<b>10</b>	<b>36</b>	<b>890</b>
<i>Salmonella</i> 4, [5], 12:i:-	4	16	457
<i>Salmonella</i> agona		4	53
<i>Salmonella</i> brandenburg		2	16
<i>Salmonella</i> derby		3	135
<i>Salmonella</i> heidelberg		2	44
<i>Salmonella</i> kiambu			1
<i>Salmonella</i> reading	2		
<i>Salmonella</i> saint-paul			4
<i>Salmonella</i> schwarzengrund		3	14
<i>Salmonella</i> typhimurium	4	6	166
<b>Group C1</b>	<b>6</b>	<b>15</b>	<b>187</b>
<i>Salmonella</i> 6,7:-:1,5			1
<i>Salmonella</i> braenderup		1	2
<i>Salmonella</i> choleraesuis_(kunzendorf)			60
<i>Salmonella</i> hartford		1	
<i>Salmonella</i> infantis	5	2	72
<i>Salmonella</i> livingstone			1
<i>Salmonella</i> mbandaka		1	10
<i>Salmonella</i> montevideo		8	2
<i>Salmonella</i> ohio			16
<i>Salmonella</i> oranienburg		1	1
<i>Salmonella</i> rissen		1	19
<i>Salmonella</i> tennessee	1		3
<i>Salmonella</i> thompson			
<b>Group C2</b>	<b>22</b>	<b>9</b>	<b>29</b>
<i>Salmonella</i> albany	1		
<i>Salmonella</i> altona		1	4
<i>Salmonella</i> bovis-morbificans			3
<i>Salmonella</i> kentucky	18		
<i>Salmonella</i> manhattan			3
<i>Salmonella</i> molade			2
<i>Salmonella</i> muenchen	3	2	13
<i>Salmonella</i> newport		6	4

<b>2019 <i>Salmonella</i></b>			
<b>serogroups/serotypes</b>	<b>Avian</b>	<b>Bovine</b>	<b>Porcine</b>
<b>Group D</b>	<b>24</b>	<b>74</b>	<b>14</b>
<i>Salmonella</i> berta			3
<i>Salmonella</i> dublin		72	
<i>Salmonella</i> enteritidis	21		7
<i>Salmonella</i> javiana		1	
<i>Salmonella</i> ouakam	3		
<i>Salmonella</i> panama		1	4
<b>Group E</b>	<b>13</b>	<b>19</b>	<b>102</b>
<i>Salmonella</i> 3, 10:e,h:-			1
<i>Salmonella</i> anatum	3	3	35
<i>Salmonella</i> anatum_var._15+		2	
<i>Salmonella</i> cannstatt		1	2
<i>Salmonella</i> falkensee			1
<i>Salmonella</i> give		1	2
<i>Salmonella</i> krefeld			1
<i>Salmonella</i> liverpool			4
<i>Salmonella</i> london			17
<i>Salmonella</i> meleagridis		2	1
<i>Salmonella</i> muenster		7	2
<i>Salmonella</i> orion		1	1
<i>Salmonella</i> orion_var._15+,34+			1
<i>Salmonella</i> senftenberg	6		10
<i>Salmonella</i> uganda	4	2	23
<i>Salmonella</i> uganda_var._15+			1
<b>Grand Total</b>	<b>140</b>	<b>270</b>	<b>1554</b>